| Field     |                                      | <b>Mandatory or</b> |   | Field          |   |
|-----------|--------------------------------------|---------------------|---|----------------|---|
| Number    | Field Name                           | Optional            | Field Definition  | Format         | Definition/Format                       |
| Transac   | tion Header                          |                     |   |                |   |
| 1Ø1-A1    | BIN NUMBER                           | М                   | Card Issuer ID or Bank ID Number use                            | 9(6)           | BIN Number                              |
| 1Ø2-A2    | VERSION/RELEASE                      | M                   | Code uniquely identifying the                                   | x(2)           | 51                                      |
|           | NUMBER                               |                     | transmission syntax and   | (-)            |   |
|           |                                      |                     | corresponding Data Dictionary.                                  |                |   |
| 1Ø3-A3    | TRANSACTION CODE                     | М                   | Code identifying the type of                                    | x(2)           | B1 = Billing                            |
|           |                                      |                     | transaction.  |                | B2 = Reversal                           |
|           |                                      |                     |   |                | B3 = Rebill                             |
| 12111     | DD005000D 00UTD0U                    |                     |   | (40)           |   |
| 1Ø4-A4    | PROCESSOR CONTROL                    | М                   | Number assigned by the  | x(10)          | Process Control number                  |
| 100.40    | NUMBER TRANSACTION COUNT             | M                   | processor.  Count of transactions in the                        | ··/4)          | "Line Count for this claim"             |
| 1Ø9-A9    | TRANSACTION COUNT                    | IVI                 | transmission.   | x(1)           | Line Count for this claim               |
| 2∅2-B2    | SERVICE PROVIDER ID                  | M                   | Code qualifying the 'Service Provider                           | x(2)           | 05 = Medicaid ID                        |
| 202-02    | QUALIFIER                            | 141                 | ID' (201-B1).   | A(2)           | oo weddad ib                            |
| 2Ø1-B1    | SERVICE PROVIDER ID                  | М                   | ID assigned to a pharmacy or                                    | x(15)          | Provider Id/Pharmacy Number             |
|           |                                      |                     | provider.   |                | ,                                       |
|           |                                      |                     |   |                | AHCCCS Id and Location Number           |
|           |                                      |                     |   |                | NNNNNLL                                 |
| 4Ø1-D1    | DATE OF SERVICE                      | М                   | Identifies date the prescription was                            | 9(8)           | Dispense Date / Date of Service         |
|           |                                      |                     | filled or professional service rendered.                        |                |   |
| 44 ~ 414  | COLTWADE VENDOD/                     |                     | ID assigned by the switch or                                    | ··/40\         | Software Vendor Certification ID of the |
| 11∅-AK    | SOFTWARE VENDOR/<br>CERTIFICATION ID | М                   | ID assigned by the switch or processor to identify the software | x(10)          | PBM                                     |
|           | CERTIFICATION ID                     |                     | source.   |                | I DIVI                                  |
|           |                                      |                     | 333.  |                |   |
| Patient 9 | Segment                              |                     |   |                |   |
| 111-AM    | SEGMENT IDENTIFICATION               | М                   | Identifies the segment in the request                           | x(2)           | Ø1=Patient                              |
| 1117      | SEGMENT IDENTIFICATION               |                     | and/or response.  | λ(=)           |   |
| 331-CX    | PATIENT ID QUALIFIER                 | 0                   | Code qualifying the 'Patient ID' (332-                          | x(2)           | 99 = Other                              |
|           |                                      |                     | CY).  |                |   |
| 332-CY    | PATIENT ID                           | 0                   | ID assigned to the patient.                                     | x(20)          |   |
| 3Ø4-C4    | DATE OF BIRTH                        | 0                   | Date of birth of patient.                                       | 9(8)           | Recipient Date of Birth                 |
| 3Ø5-C5    | PATIENT GENDER CODE                  | 0                   | Code indicating the gender of the                               | 9(1)           | Recipient Gender.                       |
|           |                                      |                     | individual.   |                | 1 = Male                                |
| 31Ø-CA    | PATIENT FIRST NAME                   | 0                   | Individual first name.  | v(12)          | 2 = Female                              |
|           | PATIENT LAST NAME                    | 0                   | Individual last name.   | x(12)<br>x(15) |   |
| 322-CM    | PATIENT STREET                       | 0                   | Free-form text for address information.                         |                |   |
| 022 OW    | ADDRESS                              |                     | . 100 total total for address information.                      | λ(00)          |   |
| 323-CN    | PATIENT CITY ADDRESS                 | 0                   | Free-form text for city name.                                   | x(20)          |   |
| 324-CO    | PATIENT STATE /                      | 0                   | Standard State/Province Code as                                 | x(2)           |   |
|           | PROVINCE ADDRESS                     |                     | defined by appropriate government                               |                |   |
|           |                                      |                     | agency.   |                |   |
| 325-CP    | PATIENT ZIP/POSTAL                   | 0                   | Code defining international postal                              | x(15)          |   |
|           | ZONE                                 |                     | zone excluding punctuation and                                  |                |   |
| 200.00    | DATIENT DUONE NUMBER                 |                     | blanks (zip code for US).                                       | 0(40)          |   |
| 326-CQ    | PATIENT PHONE NUMBER                 | 0                   | Ten digit phone number of patient.                              | 9(10)          |   |

| Field    |   | <b>Mandatory or</b> |   | Field  |   |
|----------|---|---------------------|---|--------|---|
| Number   | Field Name  | Optional            | Field Definition  | Format | Definition/Format   |
| 3Ø7-C7   | PATIENT LOCATION                                      | 0                   | Code identifying the location of the patient when receiving pharmacy services.  | 9(2)   | Required if known.  Ø=Not Specified 1=Home 2=Inter-Care 3=Nursing Home 4=Long Term/Extended Care 5=Rest Home 6=Boarding Home 7=Skilled Care Facility 8=Sub-Acute Care Facility 9=Acute Care Facility 1Ø=Outpatient 11=Hospice |
| 333-CZ   | EMPLOYER ID   | 0                   | ID assigned to employer.  | x(15)  |   |
| 334-1C   | SMOKER / NON-SMOKER<br>CODE                           | 0                   | Code indicating the patient as a smoker or non-smoker.  | x(1)   |   |
| 335-2C   | PREGNANCY INDICATOR                                   | 0                   | Code indicating the patient as pregnant or non-pregnant.  | x(1)   | Required if known.  Blank=Not Specified  1=Not pregnant  2=Pregnant   |
|          | ce Segment  |                     |   |        |   |
| 111-AM   | SEGMENT IDENTIFICATION                                | М                   | Identifies the segment in the request and/or response.  | x(2)   | Ø4=Insurance  |
| 3Ø2-C2   | CARDHOLDER ID   | М                   | Insurance ID assigned to the cardholder.  | x(20)  | AHCCCS ID,<br>Left justify  |
| 312-CC   | CARDHOLDER FIRST<br>NAME                              | 0                   | Individual first name.  | x(12)  | Recipient First Name  |
| 313-CD   | CARDHOLDER LAST NAME                                  | 0                   | Individual last name.   | x(15)  | Recipient Last Name   |
| 314-CE   | HOME PLAN   | 0                   | Code identifying the Blue Cross or Blue Shield plan ID which indicates where the member's coverage has been designated. Usually where the member lives or purchased their coverage. | x(3)   |   |
| 524-FO   | PLAN ID   | 0                   | Assigned by the processor to identify a set of parameters, benefit, or coverage criteria used to adjudicate a claim.  | x(8)   |   |
| 3Ø9-C9   | ELIGIBILITY<br>CLARIFICATION CODE                     | 0                   | Code indicating that the pharmacy is clarifying eligibility based on receiving a denial.  | 9(1)   |   |
| 336-8C   | FACILITY ID   | 0                   | ID assigned to the patient's clinic/host party.   | , ,    |   |
| 3Ø1-C1   | GROUP ID  | 0                   | ID assigned to the cardholder group or employer group.  | x(15)  |   |
| 3Ø3-C3   | PERSON CODE   | 0                   | Code assigned to a specific person within a family.   | x(3)   |   |
| 3Ø6-C6   | PATIENT RELATIONSHIP CODE                             | 0                   | Code indicating relationship of patient to cardholder.  | 9(1)   |   |
| Claim So |   |                     |   |        |   |
| 111-AM   | SEGMENT IDENTIFICATION                                | М                   | Identifies the segment in the request and/or response.  | x(2)   | Ø7=Claim  |
| 455-EM   | PRESCRIPTION/SERVICE<br>REFERENCE NUMBER<br>QUALIFIER | М                   | Indicates the type of billing submitted.  | x(1)   | 1=Rx Billing  |

| Field  |  | Mandatory or | •  | Field    |   |
|--------|--|--------------|--|----------|---|
| Number | Field Name   | Optional     | Field Definition   | Format   | Definition/Format   |
| 4Ø2-D2 | PRESCRIPTION/SERVICE<br>REFERENCE NUMBER               | М            | Reference number assigned by the provider for the dispensed drug/product and/or service provided.          | 9(7)     | RX Number, aka Patient Account Number   |
| 436-E1 | PRODUCT/SERVICE ID QUALIFIER                           | М            | Code qualifying the value in 'Product/Service ID' (407-D7).  | x(2)     |   |
| 4Ø7-D7 | PRODUCT/SERVICE ID                                     | М            | ID of the product dispensed or service provided.   | x(19)    | If 407-D7 is Ø3-NDC NDC Code format is: Format=MMMMMDDDDPP  MMMMM=Manufacturer's Assigned Number DDDD=Drug ID PP=Package Size   |
| 456-EN | ASSOCIATED PRESCRIPTION/ SERVICE REFERENCE #           | 0            | Related 'Prescription/Service<br>Reference Number' (402-D2) to which<br>the service is associated.         | 9(7)     |   |
| 457-EP | ASSOCIATED PRESCRIPTION/SERVICE DATE                   | 0            | Date of the Associated<br>Prescription/Service Reference<br>Number.  | 9(8)     |   |
| 458-SE | PROCEDURE MODIFIER CODE COUNT                          | 0            | Count of the 'Procedure Modifier Code' (459-ER) occurrences.   | 9(1)     |   |
| 459-ER | PROCEDURE MODIFIER<br>CODE                             | O***R***     | Identifies special circumstances related to the performance of the service.                                | x(2)     | If sent, will be stored.  |
| 442-E7 | QUANTITY DISPENSED                                     | 0            | Quantity dispensed expressed in metric decimal units.  | 9(7)v999 | Quantity  |
| 4Ø3-D3 | FILL NUMBER  | 0            | The code indicating whether the prescription is an original or a refill.                                   | 9(2)     | Fill Number  Ø=Original dispensing  1 to 99 = Refill number   |
| 4Ø5-D5 | DAYS SUPPLY  | 0            | Estimated number of days the prescription will last.   | 9(3)     | Days Supply   |
| 4Ø6-D6 | COMPOUND CODE  | 0            | Code indicating whether or not the prescription is a compound.   | 9(1)     | Ø=Not Specified<br>1=Not a Compound<br>2=Compound   |
| 4Ø8-D8 | DISPENSE AS WRITTEN<br>(DAW)/PRODUCT<br>SELECTION CODE | 0            | Code indicating whether or not the prescriber's instructions regarding generic substitution were followed. | x(1)     | Ø=No Product Selection Indicated 1=Substitution Not Allowed by Prescriber 2=Substitution Allowed-Patient Requested Product Dispensed 3=Substitution Allowed-Pharmacist Selected Product Dispensed 4=Substitution Allowed-Generic Drug Not in Stock 5=Substitution Allowed-Brand Drug Dispensed as a Generic 6=Override 7=Substitution Not Allowed-Brand Drug Mandated by Law 8=Substitution Allowed-Generic Drug Not Available in Marketplace 9=Other |
| 414-DE | DATE PRESCRIPTION WRITTEN                              | 0            | Date prescription was written.   | 9(8)     | Format=CCYYMMDD   |
| 415-DF | NUMBER OF REFILLS<br>AUTHORIZED                        | 0            | Number of refills authorized by the prescriber.  | 9(2)     | Number of refills authorized  |

| Field  |  | Mandatory or |   | Field    |   |
|--------|--|--------------|---|----------|---|
| Number | Field Name   | Optional     | Field Definition  | Format   | Definition/Format   |
| 419-DJ | PRESCRIPTION ORIGIN CODE                           | 0            | Code indicating the origin of the prescription.   | 9(1)     |   |
| 42Ø-DK | SUBMISSION<br>CLARIFICATION CODE                   | 0            | Code indicating that the pharmacist is clarifying the submission.   | 9(2)     |   |
| 46∅-ET | QUANTITY PRESCRIBED                                | 0            | Amount expressed in metric decimal units.   | 9(7)v999 |   |
| 3Ø8-C8 | OTHER COVERAGE CODE                                | 0            | Code indicating whether or not the patient has other insurance coverage.  | 9(2)     | Required if known.  ØØ=Not Specified Ø1=No other coverage Ø2=Other coverage exists-payment collected Ø3=Other coverage exists- claim not covered Ø4=Other coverage exists-payment not collected Ø5=Managed care plan denial Ø6=Other coverage denied-not participating provider Ø7=Other coverage exists-not in effect on DOS Ø8=Claim is billing for copay |
| 429-DT | UNIT DOSE INDICATOR                                | 0            | Code indicating the type of unit dose dispensing.   | 9(1)     |   |
| 453-EJ | ORIG PRESCRIBED<br>PRODUCT/SERVICE ID<br>QUALIFIER | 0            | Code qualifying the value in 'Originally<br>Prescribed Product/Service Code'<br>(Field 445-EA).   | x(2)     |   |
| 445-EA | ORIGINALLY PRESCRIBED PRODUCT/SERVICE CODE         | 0            | Code of the initially prescribed product or service.  | x(19)    |   |
| 446-EB | ORIGINALLY PRESCRIBED QUANTITY                     | 0            | Product initially prescribed amount expressed in metric decimal units.  | 9(7)v999 |   |
| 33Ø-CW | ALTERNATE ID                                       | 0            | Person identifier to be used for controlled product reporting. Identifier may be that of the patient or the person picking up the prescription as required by the governing body. | x(20)    | Health Plan Claim Number  |
| 454-EK | SCHEDULED<br>PRESCRIPTION ID                       | 0            | The serial number of the prescription blank/form.   | x(12)    |   |
| 6ØØ-28 | UNIT OF MEASURE                                    | 0            | NCPDP standard product billing codes.   | x(2)     | EA=Each<br>GM=Grams<br>ML=Milliliters   |
| 418-DI | LEVEL OF SERVICE                                   | 0            | Coding indicating the type of service the provider rendered.  | 9(2)     |   |
| 461-EU | PRIOR AUTHORIZATION TYPE CODE                      | 0            | Code clarifying the 'Prior Authorization Number' (462-EV).  | 9(2)     |   |
| 462-EV | PRIOR AUTHORIZATION NUMBER SUBMITTED               | 0            | Number submitted by the provider to identify the prior authorization.   | 9(11)    |   |
| 463-EW | INTERMEDIARY<br>AUTHORIZATION TYPE ID              | 0            | Value indicating that authorization occurred for intermediary processing.   | 9(2)     |   |
| 464-EX | INTERMEDIARY<br>AUTHORIZATION ID                   | 0            | Value indicating intermediary authorization occurred.   | x(11)    |   |

| Field    |   | <b>Mandatory or</b> |  | Field    |   |
|----------|---|---------------------|--|----------|---|
| Number   | Field Name                                  | Optional            | Field Definition   | Format   | Definition/Format                             |
| 343-HD   | DISPENSING STATUS                           | 0                   | Code indicating the quantity dispensed is a partial fill or the completion of a partial fill. Used only in situations where inventory shortages do not allow the full quantity to be dispensed.          | x(1)     |   |
| 344-HF   | QUANTITY INTENDED TO<br>BE DISPENSED        | 0                   | Metric decimal quantity of medication that would be dispensed on original filling if inventory were available. Used in association with a 'P' or 'C' in 'Dispensing Status' (343-HD).                    | 9(7)V999 |   |
| 345-HG   | DAYS SUPPLY INTENDED<br>TO BE DISPENSED     | 0                   | Days supply for metric decimal quantity of medication that would be dispensed on original dispensing if inventory were available. Used in association with a 'P' or 'C' in 'Dispensing Status' (343-HD). | 9(3)     |   |
| Pharmac  | cy Provider Segmer                          | nt                  |  |          |   |
| 111-AM   | SEGMENT IDENTIFICATION                      | М                   | Identifies the segment in the request and/or response.   | x(2)     | Ø2=Pharmacy Provider                          |
| 465-EY   | PROVIDER ID QUALIFIER                       | 0                   | Code qualifying the 'Provider ID' (444-E9).  | x(2)     |   |
| 444-E9   | PROVIDER ID                                 | 0                   | Unique ID assigned to the person responsible for the dispensing of the prescription or provision of the service.   | x(15)    |   |
| Prescrib | er Segment                                  |                     |  |          |   |
| 111-AM   | SEGMENT IDENTIFICATION                      | М                   | Identifies the segment in the request and/or response.   | x(2)     | Ø3=Prescriber                                 |
| 466-EZ   | PRESCRIBER ID<br>QUALIFIER                  | 0                   | Code qualifying the 'Prescriber ID' (411-DB).  | x(2)     | Ø5=Medicaid                                   |
| 411-DB   | PRESCRIBER ID                               | 0                   | ID assigned to the prescriber.   | x(15)    | AHCCCS ID [6] and Location Code [2]           |
| 467-1E   | PRESCRIBER LOCATION<br>CODE                 | 0                   | Location address code assigned to the prescriber as identified in the National Provider System (NPS).  | x(3)     |   |
| 427-DR   | PRESCRIBER LAST NAME                        | 0                   | Individual last name.  | x(15)    |   |
| 498-PM   | PRESCRIBER PHONE<br>NUMBER                  | 0                   | Ten digit phone number of the prescriber.  | 9(10)    |   |
| 468-2E   | PRIMARY CARE PROVIDER ID QUALIFIER          | 0                   | Code qualifying the 'Primary Care Provider ID' (421-DL).   | x(2)     |   |
| 421-DL   | PRIMARY CARE PROVIDER<br>ID                 | 0                   | ID assigned to the primary care provider. Used when the patient is referred to a secondary care provider.  | x(15)    |   |
| 469-H5   | PRIMARY CARE PROVIDER<br>LOCATION CODE      | 0                   | Location address code assigned to the primary care provider as identified in the National Provider System (NPS).   | x(3)     |   |
| 47∅-4E   | PRIMARY CARE PROVIDER<br>LAST NAME          | 0                   | Individual last name.  | x(15)    |   |
| COB/Oth  | ner Payments Segm<br>SEGMENT IDENTIFICATION |                     | Identifies the segment in the request and/or response.   | x(2)     | Ø5=Coordination of Benefits/Other<br>Payments |

| Field  |   | <b>Mandatory or</b> |   | Field    |   |
|--------|---|---------------------|---|----------|---|
| Number | Field Name  | Optional            | Field Definition  | Format   | Definition/Format   |
| 337-4C | COORDINATION OF<br>BENEFITS/OTHER<br>PAYMENTS COUNT | M                   | Count of other payment occurrences.   | 9(1)     | Number of Other Coverages   |
| 338-5C | OTHER PAYER COVERAGE<br>TYPE                        | M***R***            | Code identifying the type of 'Other Payer ID' (340-7C).                             | x(2)     | Blank=Not Specified Ø1=Primary Ø2=Secondary Ø3=Tertiary 98=Coupon 99=Composite  |
| 339-6C | OTHER PAYER ID<br>QUALIFIER                         | O***R***            | Code qualifying the 'Other Payer ID' (340-7C).                                      | x(2)     | Blank=Not Specified Ø1=National Payer ID Ø2=Health Industry Number (HIN) Ø3=Bank Information Number (BIN) Ø4=National Association of Insurance Commissioners (NAIC) Ø9=Coupon 99=Other  |
|        |   |                     |   |          | 99 - when payer is Health Plan  |
| 34Ø-7C | OTHER PAYER ID                                      | O***R***            | ID assigned to the payer.   | x(10)    | To report the Health Plan ID,<br>339-6C = 99 and this field is the AHCCCS<br>Health Plan ID [6] and TSN [3]<br>OR<br>The Other Payer Id   |
| 443-E8 | OTHER PAYER DATE                                    | O***R***            | Payment or denial date of the claim   | 9(8)     | Format=CCYYMMDD   |
|        |   |                     | submitted to the other payer. Used for coordination of benefits.                    |          |   |
| 341-HB | OTHER PAYER AMOUNT PAID COUNT                       | 0                   | Count of the payer amount paid occurrences.   | 9(1)     | Other Payer amount paid occurrences   |
| 342-HC | OTHER PAYER AMOUNT<br>PAID QUALIFIER                | O***R***            | Code qualifying the 'Other Payer<br>Amount Paid' (431-DV).                          | x(2)     | Ø1=Delivery Ø2=Shipping Ø3=Postage Ø4=Administrative (Dispensing Fee) Ø5=Incentive Ø6=Cognitive Service Ø7=Allowed Amount (Ingredient Cost) Ø8=Amount Paid (Paid Amount) 98=Coupon 99=Other 1st occurrence = Deductible 2nd occurrence = Colnsurance 3rd occurrence = CoPay |
| 431-DV | OTHER PAYER AMOUNT<br>PAID                          | O***R***            | Amount of any payment known by the pharmacy from other sources (including coupons). | s9(6)v99 | Amount of the other payment   |
| 471-5E | OTHER PAYER REJECT<br>COUNT                         | 0                   | Count of 'Other Payer Reject Code' (472-6E) occurrences.                            | 9(2)     |   |
| 472-6E | OTHER PAYER REJECT<br>CODE                          | O***R***            | The error encountered by the previous<br>Other Payer in 'Reject Code' (511-FB)      |          |   |
|        | Compensation Se                                     |                     |   |          |   |
| 111-AM | SEGMENT IDENTIFICATION                              | М                   | Identifies the segment in the request and/or response.                              | x(2)     | Ø6=Worker's Compensation  |
| 434-DY | DATE OF INJURY                                      | M                   | Date on which the injury occurred.  | 9(8)     |   |
| 315-CF | EMPLOYER NAME                                       | 0                   | Complete name of employer.  | x(30)    |   |

| Field     |                                       | Mandatory or |   | Field    |                                       |
|-----------|---------------------------------------|--------------|---|----------|---------------------------------------|
| Number    | Field Name                            | Optional     | Field Definition  | Format   | Definition/Format                     |
| 316-CG    | EMPLOYER STREET<br>ADDRESS            | 0            | Free-form text for address information.   | x(30)    |                                       |
| 317-CH    | EMPLOYER CITY<br>ADDRESS              | 0            | Free-form text for city name.   | x(20)    |                                       |
| 318-CI    | EMPLOYER<br>STATE/PROVINCE<br>ADDRESS | 0            | Standard State/Province Code as defined by appropriate government agency.   | x(2)     |                                       |
| 319-CJ    | EMPLOYER ZIP/POSTAL<br>ZONE           | 0            | Code defining international postal zone excluding punctuation and blanks (zip code for US).   | x(15)    |                                       |
| 32Ø-CK    | EMPLOYER PHONE<br>NUMBER              | 0            | Ten digit phone number of employer.   | 9(10)    |                                       |
| 321-CL    | EMPLOYER CONTACT<br>NAME              | 0            | Employer primary contact.   | x(30)    |                                       |
| 327-CR    | CARRIER ID                            | 0            | Carrier code assigned in Worker's Compensation Program.   | x(10)    |                                       |
| 435-DZ    | CLAIM/REFERENCE ID                    | 0            | Identifies the claim number assigned by Worker's Compensation Program.  | x(30)    |                                       |
| DUR/PP    | S Segment                             |              |   |          |                                       |
| 111-AM    | SEGMENT IDENTIFICATION                | М            | Identifies the segment in the request and/or response.  | x(2)     | Ø8=DUR/PPS                            |
| 473-7E    | DUR/PPS CODE COUNTER                  | O***R***     | Counter number for each DUR/PPS set/logical grouping.   | 9(1)     |                                       |
| 439-E4    | REASON FOR SERVICE<br>CODE            | O***R***     | Code identifying the type of utilization conflict detected or the reason for the pharmacist's professional service.   | x(2)     |                                       |
| 44Ø-E5    | PROFESSIONAL SERVICE<br>CODE          | O***R***     | Code identifying pharmacist intervention when a conflict code has been identified or service has been rendered.   | x(2)     |                                       |
| 441-E6    | RESULT OF SERVICE<br>CODE             | O***R***     | Action taken by a pharmacist in response to a conflict or the result of a pharmacist's professional service.  | x(2)     |                                       |
| 474-8E    | DUR/PPS LEVEL OF<br>EFFORT            | O***R***     | Code indicating the level of effort as determined by the complexity of decision making or resources utilized by a pharmacist to perform a professional service.     | 9(2)     |                                       |
| 475-J9    | DUR CO-AGENT ID<br>QUALIFIER          | O***R***     | Code qualifying the value in 'DUR Co-Agent ID' (476-H6).  | x(2)     |                                       |
| 476-H6    | DUR CO-AGENT ID                       | O***R***     | Identifies the co-existing agent contributing to the DUR event (drug or disease conflicting with the prescribed drug or prompting pharmacist professional service). | x(19)    |                                       |
| Pricina S | Segment                               |              |   |          |                                       |
| 111-AM    | SEGMENT IDENTIFICATION                | M            | Identifies the segment in the request and/or response.  | x(2)     | 11=Pricing                            |
| 4Ø9-D9    | INGREDIENT COST<br>SUBMITTED          | 0            | Submitted product component cost of the dispensed prescription. This amount is included in the 'Gross Amount Due' (430-DU).   | s9(6)v99 | Ingredient Cost Submitted by Pharmacy |

| Field  |   | Mandatory or |  | Field    |  |
|--------|---|--------------|--|----------|--|
| Number | Field Name                                  | Optional     | Field Definition   | Format   | Definition/Format  |
| 412-DC | DISPENSING FEE<br>SUBMITTED                 | . 0          | Dispensing fee submitted by the pharmacy. This amount is included in the 'Gross Amount Due' (430-DU).  | s9(6)v99 | Dispensing Fee Submitted by Pharmacy   |
| 477-BE | PROFESSIONAL SERVICE<br>FEE SUBMITTED       | 0            | Amount submitted by the provider for professional services rendered.   | s9(6)v99 |  |
| 433-DX | PATIENT PAID AMOUNT<br>SUBMITTED            | 0            | Amount the pharmacy received from the patient for the prescription dispensed.  | s9(6)v99 | Amount the pharmacy actually collected from the recipient/patient/person picking up the medication |
| 438-E3 | INCENTIVE AMOUNT<br>SUBMITTED               | 0            | Amount represents a fee that is submitted by the pharmacy for contractually agreed upon services. This amount is included in the 'Gross Amount Due' (430-DU).  | s9(6)v99 |  |
| 478-H7 | OTHER AMOUNT CLAIMED SUBMITTED COUNT        | 0            | Count of other amount claimed submitted occurrences.   | 9(1)     |  |
| 479-H8 | OTHER AMOUNT CLAIMED<br>SUBMITTED QUALIFIER | O***R***     | Code identifying the additional incurred cost claimed in 'Other Amount Claimed Submitted' (480-H9).  | x(2)     |  |
| 48∅-H9 | OTHER AMOUNT CLAIMED<br>SUBMITTED           | O***R***     | Amount representing the additional incurred costs for a dispensed prescription or service.   | s9(6)v99 |  |
| 481-HA | FLAT SALES TAX AMOUNT<br>SUBMITTED          | 0            | Flat sales tax submitted for prescription. This amount is included in the 'Gross Amount Due' (430-DU).   | s9(6)v99 |  |
| 482-GE | PERCENTAGE SALES TAX<br>AMOUNT SUBMITTED    | 0            | Percentage sales tax submitted.  | s9(6)v99 |  |
| 483-HE | PERCENTAGE SALES TAX<br>RATE SUBMITTED      | 0            | Percentage sales tax rate used to calculate 'Percentage Sales Tax Amount Submitted' (482-GE).  | s9(3)v4  |  |
| 484-JE | PERCENTAGE SALES TAX<br>BASIS SUBMITTED     | 0            | Code indicating the basis for percentage sales tax.  | x(2)     |  |
| 426-DQ | USUAL AND CUSTOMARY<br>CHARGE               | 0            | Amount charged cash customers for the prescription exclusive of sales tax or other amounts claimed.  | s9(6)v99 |  |
| 43Ø-DU | GROSS AMOUNT DUE                            | 0            | Total price claimed from all sources. For prescription claim request, field represents a sum of 'Ingredient Cost Submitted' (409-D9), 'Dispensing Fee Submitted' (412-DC), 'Flat Sales Tax Amount Submitted' (481-HA), 'Percentage Sales Tax Amount Submitted' | s9(6)v99 | Billed Amount  |
| 423-DN | BASIS OF COST<br>DETERMINATION              | 0            | Code indicating the method by which<br>'Ingredient Cost Submitted' (Field 409-<br>D9) was calculated.  | x(2)     |  |
| Coupon | Segment                                     |              |  |          |  |
| 111-AM | SEGMENT IDENTIFICATION                      |              | Identifies the segment in the request and/or response.   | x(2)     | Ø9=Coupon  |
| 485-KE | COUPON TYPE                                 | М            | Code indicating the type of coupon being used.   | x(2)     |  |

| Field    |   | Mandatory or |   | Field    |                        |
|----------|---|--------------|---|----------|------------------------|
| Number   | Field Name  | Optional     | Field Definition  | Format   | Definition/Format      |
| 486-ME   | COUPON NUMBER   | M            | Unique serial number assigned to the  | x(15)    |                        |
|          |   | _            | prescription coupons.   |          |                        |
| 487-NE   | COUPON VALUE AMOUNT                                   | 0            | Value of the coupon.  | s9(6)v99 |                        |
| Compou   | ınd Segment   |              |   |          |                        |
| 111-AM   | SEGMENT IDENTIFICATION                                | M            | Identifies the segment in the request and/or response.  | x(2)     | 1Ø=Compound            |
| 45Ø-EF   | COMPOUND DOSAGE<br>FORM DESCRIPTION CODE              | М            | Dosage form of the complete compound mixture.   | x(2)     |                        |
| 451-EG   | COMPOUND DISPENSING UNIT FORM INDICATOR               | М            | NCPDP standard product billing codes.   | 9(1)     |                        |
| 452-EH   | COMPOUND ROUTE OF ADMINISTRATION                      | М            | Code for the route of administration of the complete compound mixture.  | 9(2)     |                        |
| 447-EC   | COMPOUND INGREDIENT<br>COMPONENT COUNT                | М            | Count of compound product IDs (both active and inactive) in the compound mixture submitted.   | 9(2)     |                        |
| 488-RE   | COMPOUND PRODUCT ID QUALIFIER                         | M***R***     | Code qualifying the type of product dispensed.  | x(2)     |                        |
| 489-TE   | COMPOUND PRODUCT ID                                   | M***R***     | Product identification of an ingredient used in a compound.   | x(19)    |                        |
| 448-ED   | COMPOUND INGREDIENT QUANTITY                          | M***R***     | Amount expressed in metric decimal units of the product included in the compound mixture.   | 9(7)v999 |                        |
| 449-EE   | COMPOUND INGREDIENT<br>DRUG COST                      | O***R***     | Ingredient cost for the metric decimal quantity of the product included in the compound mixture indicated in 'Compound Ingredient Quantity' (Field 448-ED). | s9(6)v99 |                        |
| 49Ø-UE   | COMPOUND INGREDIENT<br>BASIS OF COST<br>DETERMINATION | O***R***     | Code indicating the method by which the drug cost of an ingredient used in a compound was calculated.   | x(2)     |                        |
| Prior Au | thorization Segmen                                    | t            |   |          |                        |
| 111-AM   | SEGMENT IDENTIFICATION                                |              | Identifies the segment in the request and/or response.  | x(2)     | 12=Prior Authorization |
| 498-PA   | REQUEST TYPE  | M            | Code identifying type of prior authorization request.   | x(1)     |                        |
| 498-PB   | REQUEST PERIOD DATE-<br>BEGIN                         | M            | Beginning date for a prior authorization request.   | 9(8)     |                        |
| 498-PC   | REQUEST PERIOD DATE-<br>END                           | М            | Ending date for a prior authorization request.  | 9(8)     |                        |
| 498-PD   | BASIS OF REQUEST                                      | M            | Code describing the reason for prior authorization request.   | x(2)     |                        |
| 498-PE   | AUTHORIZED<br>REPRESENTATIVE FIRST<br>NAME            | 0            | First name of the patient's authorized representative.  | x(12)    |                        |
| 498-PF   | AUTHORIZED<br>REPRESENTATIVE LAST<br>NAME             | 0            | Last name of the patient's authorized representative.   | x(15)    |                        |
| 498-PG   | AUTHORIZED<br>REPRESENTATIVE<br>STREET ADDRESS        | 0            | Free-form text for address information.   | x(30)    |                        |
| 498-PH   | AUTHORIZED<br>REPRESENTATIVE CITY<br>ADDRESS          | 0            | Free-form text for city name.   | x(20)    |                        |

| Field    |  | Mandatory or | •   | Field       |  |
|----------|--|--------------|---|-------------|--|
| Number   | Field Name   | Optional     | Field Definition  | Format      | Definition/Format                                  |
| 498-PJ   | AUTHORIZED REPRESENTATIVE STATE/PROVINCE ADDRESS   | 0            | Standard State/Province code as defined by appropriate government agency.                   | x(2)        |  |
| 498-PK   | AUTHORIZED REPRESENTATIVE ZIP/POSTAL ZONE          | 0            | Code defining international postal zone excluding punctuation and blanks (zip code for US). | x(15)       |  |
| 498-PY   | PRIOR AUTHORIZATION<br>NUMBERASSIGNED              | 0            | Unique number identifying the prior authorization assigned by the processor.                | 9(11)       |  |
| 5Ø3-F3   | AUTHORIZATION NUMBER                               | 0            | Number assigned by the processor to identify an authorized transaction.                     | x(20)       |  |
| 498-PP   | PRIOR AUTHORIZATION<br>SUPPORTING<br>DOCUMENTATION | 0            | Free text message.  | x(1)-x(500) |  |
| Clinical | Segment  |              |   |             |  |
| 111-AM   | SEGMENT IDENTIFICATION                             | М            | Identifies the segment in the request and/or response.                                      | x(2)        | 13=Clinical  |
| 491-VE   | DIAGNOSIS CODE COUNT                               | 0            | Count of diagnosis occurrences.   | 9(1)        | Diagnosis code count                               |
| 492-WE   | DIAGNOSIS CODE<br>QUALIFIER                        | O***R***     | Code qualifying the 'Diagnosis Code' (424-DO).  | x(2)        | Ø1=International Classification of Diseases (ICD9) |
| 424-DO   | DIAGNOSIS CODE                                     | O***R***     | Code identifying the diagnosis of the patient.  | x(15)       | Required if known.  ICD-9 Diagnosis Code           |
| 493-XE   | CLINICAL INFORMATION<br>COUNTER                    | O***R***     | Counter number of clinical information measurement set/logical grouping.                    | 9(1)        |  |
| 494-ZE   | MEASUREMENT DATE                                   | O***R***     | Date clinical information was collected or measured.  | 9(8)        |  |
| 495-H1   | MEASUREMENT TIME                                   | O***R***     | Time clinical information was collected or measured.  | 9(4)        |  |
| 496-H2   | MEASUREMENT<br>DIMENSION                           | O***R***     | Code indicating the clinical domain of the observed value in 'Measurement Value' (499-H4).  | x(2)        |  |
| 497-H3   | MEASUREMENT UNIT                                   | O***R***     | Code indicating the metric or English units used with the clinical information.             | x(2)        |  |
| 499-H4   | MEASUREMENT VALUE                                  | O***R***     | Actual value of clinical information.   | x(15)       |  |